

CUMULATIVE INDEX 2001

Volume 28

January	NONOPERATIVE TECHNIQUES FOR FACIAL REJUVENATION, PART II, pages 1-252
April	HEAD AND NECK RECONSTRUCTION, pages 253-424
July	AUGMENTATION MAMMAPLASTY, pages 425-619
October	NEW DIRECTIONS IN PLASTIC SURGERY, PART I, pages 621-761

Note: Page numbers of article titles are in **boldface** type.

- Acne, active, dermabrasion in, 217
scarring due to, Alloderm acellular dermal grafts in,
97
dermabrasion in, 215-217
treatment of, in nonsurgical facial rejuvenation, 151
- Actinic cheilitis, 6
- Actinic keratoses, treatment of, 5-6
- Aesthetic claims, made against plastic surgeons, 613
- Aesthetician, training of, 181
- Aging, intrinsic, versus extrinsic photoaging, 236-237
- Air-bypass device prosthesis, 391
- Alloderm acellular dermal graft, 83-99
complications of, 98
for augmentation of nasolabial sulci, 92, 93
for lip augmentation, 87-92
graft preparation for, 88
postoperative care following, 90-92
surgical procedure for, 88-90
for scar revision, 96-97
for soft-tissue padding, 93, 94, 95
handling of, 85-86, 87
in oculoplasty procedures, 97-98
in rhinoplasty, 93-96
processing of, 84-85
uses of, 87
- Alloderm skin substitutes, 726
- Allotransplantation, composite tissue, clinical, 682
clinical studies in, 680-681
complications of, 681-682
future of, 682-683
immunologic issues in, 677-680
- Alpha-hydroxy acids, in photoaging, 240-241
in solar lentigines, 3, 4
- Alpha hydroxyacids, in skin care, 745
- Aluminum oxide crystals, exposure to, in
microdermabrasion, 748
- Alveolar ridge, platysma flap for, 414, 416
- Anatomic breast implants, 441-442, 490-492, 528
adaptability of, to breast and chest wall deformities,
571-572
to wide range of designs, 572-573
adequate fill of, upper pole fill without shell wrin-
kling, maintenance of, 570-571
with manufacturer's warranty, 572
- with optimal aesthetics, 570
advantages of, 569-573
clinical examples of, 554-558
clinical experience with, 568-569
cohesive gel, 531-552
advantages of, 549-550
breast and chest dimensions and deformities and,
535-536
characteristics of, 532-533
disadvantages of, 550-551
glandular parenchyma and, 535
in secondary breast augmentations, 544-545, 546,
547
models of, 533-534, 535
patient desires and, 534-536
patient satisfaction with, 548
pectoralis muscle and, 535
placement of, 540-542
preoperative assessment and measurements for, 534
preoperative markings for, 542-543
results of, 545-547
selection of, 536-540
surgical technique for, 543-544, 545
types of, 532
disadvantages of, 573
experience with, 553-559
full height saline, 567-577
textured, 568
immobility and, 576
implant malposition and, 573-574
patient choice of, 569-570
"pseudo-advantages" of, 573-576
reduced-height, development of, 562
for breast reconstruction, 562
for primary breast augmentation, 562
for unilateral augmentation, 562-563
new, goals of, 568
placement of, 563-564
position asymmetry and, 564-565
pros and cons of, 561-565
saline filled, 563
to create natural-appearing breast, 562, 563
Replicon polyurethane-covered, silicone gel-filled,
567-568

- Anatomic breast implants (*Continued*)
 seroma and, 575–576
 shell palpability and firmness of, 574–575
 visible rippling or wrinkling and, 575
- Anesthesia, for dermabrasion, 223–224
 for pediatric plastic surgery, 731–732
- Antioxidants, 745
 in solar lentigines, 3
- Arm, upper, skin on, anatomy of, 367–368
- Arm flap, lateral, 367–374
 cases illustrating, 368–370, 371
 discussion of, 370–372
 surgical approach to, 368
- Ascorbic acid, in skin rejuvenation, 746
- Aspiration, in conservational laryngectomy, 400
- Augmentation mammoplasty, 425–615
- Autogenous tissue, restoration of voice with, tracheal reconstruction for, 398
- Autografts, epithelial, cultured, for children, 732, 733
- Autologen, as injectable human tissue collagen matrix, 79–80
- Bell's palsy, botulinum A toxin injection in, 135, 136
- Blepharoplasty, composite, 623, 624, 631
 laser, 623
 traditional, 623
- Blom-Singer prosthesis, tracheoesophageal puncture with, 393
- Blood supply, arterial, of submental flap, 303–304
- Bone, vascularized, for mandibular reconstruction, advantages of, 273–275
 indications for, 275, 276
- Bone contouring, and fixation, for osseointegration teeth, 404–405
- Bone engineering, biocompatible polymeric scaffolds and, 723–724
 distraction osteogenesis and, 724–725
 research in, 723–725
- Botox. See *Botulinum A exotoxin*.
- Botulinum A exotoxin, adverse reactions to, 167–169
 as prelude to facial aesthetic surgery, 128–130
 drug interactions with, indications and contraindications to, 128
 extended uses of, in facial surgery, 135–146
 in rhytides, 11
 method of injection of, 131–135
 preparation and dilution of, 131
 primary and adjunctive use of, complications of, 146, 147
 history of, 127–128
 in facial aesthetic surgery, 127–148
 resistance to, 131
- Botulinum toxin, in rhytides, 53
- Breast, female, 607–608
 photography of, liability pitfalls in, 612
 reconstruction of, microvascular free flaps for, 676
 tuberous deformities of, breast implants in, 476
- Breast augmentation, adjustable, 590–591
 alternatives to, and tradeoffs in, 485–500
 in United States, 490
 outside of United States, 493–494
 priority of, 486
 anatomic parameters influencing, 474–476
 behavior of surgeon during and after, 612–613
 bleeding and, 516
 clinical evaluation record for, 505, 506
 clinical evaluation sheet for, 429
 complications of, 587–596
 correction of, 589–591
 delayed, 587–588
 early, 587
- dissection techniques for, 518
 effective disclosure for, 609–612
 failure of, 614–615
 forms for, 610–611
 filler materials for, 435–443
 alternative, 436–437
 approval process for, 435–436
 history of, 435
- future perspectives in, 434
- implant selection for, 514–515
- implant sizers in, 518–519
- implants for. See *Breast implant(s)* and specific types of implants.
- incision approach(es) for, 496–498
 axillary, 497–498
 inframammary, 496–497
 periareolar, 497
 periumbilical, 497–498
- informed consent for, 609
- informing patient before consent for, 608–609
- instrumentation for, 516–518
- limitation of reoperations for, 433–434
- morbidity in, and reoperations in, as problem, 501–502
 control and reduction of, 501–523
 and complications of, tissue and implant fill parameters affecting, 502
- muscle, fascia, and parenchyma modifications for, 513–514
- operative planning for, 426–427
- or mastopexy, 515
- patient counseling for, 505–507
- patient education for, 425–426
- patient evaluation for, 427
 and education for, 502–509
- patient recovery from, 433
- patient selection for, from risk perspective, 615
- perioperative control of, 498
- perioperative technique of, 591–594
- photographic documents for, 609–613
 photographs, "brag books", or computer imaging for, 612
- pocket location for implant for, 432
- postoperative management following, 527–529
- postoperative medications in, 520
- postoperative techniques following, 594
- preoperative evaluation for, 588–589
- prevention of litigation in, 607–615
- retraction techniques for, 518
- sources of dissatisfaction with, 613–614
- surgical planning for, 427–433, 509–515
- surgical techniques for, 433, 515–520
- tissue considerations for, 427–428, 502–503
- tissue evaluation for, 503–505, 509–510
- tissue trauma in, 516
 minimizing of, 498–500
- traction rippling in, 509
- transumbilical, 597–605
 capsular contracture in, 600–602
 clinical experience with, 600–603
 deflation of, 600
 hematoma of, 602
 inadvertent submuscular placement of, 602
 patient consultation for, 597–598
 subglandular placement of, 598
 submuscular placement in, 599–600
 surgical procedure for, 598–600

- two decades of, surgical perspective from, 425–434
 with anatomical cohesive gel implants, 531–552
 with full height anatomic saline implants, 567–577
 with reduced-height anatomic implants, 561–565
 with round, smooth saline or gel implants, 523–529
- Breast deformity, tubular, correction of, 591
- Breast implant surgery, biostable shells in, 701
 frequency of additional surgeries in, 699
 future directions in, 687–702
 gels for, 701
 need for, 689
 new concepts in, 701
 noninvasive MRI studies in, 693–699
 recent developments in, 700–701
 saline implants for, 699–700
 silicone gel implants for. See *Silicone gel breast implants*.
 soybean oil and aqueous PVP fluid fillers in, 700–701
 testing of new implants for, 701
 to improve self-image, 687, 688
 with saline prefilled implants, 692–693
- Breast implant(s), aesthetic outcome of, factors influencing, 468
 anatomic. See *Anatomic breast implants*.
 available on international market and not in United States, 438–440
 base diameter, 476
 capsular calcification surrounding, 465
 capsular contracture and, 470
 closed capsulotomy and, 464
 damage during surgery, 462–464
 studies of, 477–478
 design of, improving of, 478–480
 obstacles in, recognition of, 480–481
 double bubble, correction of, 590
 drains and, 520
 elastomer shell abrasion, 459
 failure of, 455–458
 risk factors for, 462–465
 fill volume, deflation and, 460–461
 optimal, 445–447, 461, 492–493, 510–511, 527
 and overfill, 448–449
 filler material, ideal, 479–480
 filling of, 519
 for breast reconstruction, 469
 history of, 451–454
 ideal, characteristics of, 445
 in hypomastia, 554, 555
 in postpartum loss of volume, 554, 555
 in tight skin envelope, 554, 556, 557, 558
 in tuberous breast deformities, 476
 incision approach for, selection of, 428–430, 432–433
 incisions for, 468, 526–527
 larger, patient requests for, 507–509
 local complications of, 465–468
 malposition of, correction of, 590
 malrotation of, 449
 mammography and, 464
 material degradation, 461–462
 measurements and breast asymmetry for, 476
 new designs for, 435–443
 current studies in, 437–438
 objectives of, volume fill and, 445
 options for, in United States, 431
 overfill of, 447
 palpability and, 472–474
 patch detachment, 459–460
 patient variables influencing, 474–476
 placement of, 525–526
 pocket adjustments for, 519–520
- pocket dimensions and inframammary fold position for, 512–513, 518
 pocket location for, 486–490, 511–512
 positioning of, 468–469
 postoperative devices and, 520
 preoperative assessment for, 525
 preoperative planning and surgical considerations for, 468
- reoperations following, defining endpoints for, 507
 frequency of, 465–468
 reduction of need for, 478
- replacement of, considerations for, 469–470
 research on, 451–483
 rippling of, correction of, 590
 rupture/deflation of, mechanical causes of, 458–461
 safety and efficacy issues associated with, 440–441
 selection of, 430–431
- shape and profile of, 471–472
 breast characteristics and, 492
 shape of, alternatives in, 490–491
 ideal, 478
- shell of, ideal, 478–479
- size of, and implant-soft tissue dynamics, 494–495
 selection of, 494, 514–515, 527
- skin wrinkling and, 472–474
- surface characteristics of, 431–432
- surgical considerations for, 525–527
- tissue limitations and, 495–496, 502–503
- traction wrinkling and, 449
- trauma to, 464–465
- type and size of, selection priorities for, 490
- valve failure, 460
- variables in, affecting aesthetic outcome, 470–471
- warranty issues and, 448
- Buccal mucosa, microsurgical reconstruction of, 339–347
 after cancer resection, 340–343
 conditions requiring, 339
 recipient vessels for, 340
- recurrent or adjacent second primary cancer of, reconstruction in, 343
- Burns, pediatric burn care in, 732
- Cancer, of head and neck, multidisciplinary care in, 253–260
- prefabricated and prelaminated flaps for reconstruction in, 261–272
- Canthal suspension procedures, botulinum A toxin injection in, 138, 139
- Canthalpathy, lateral, 300–301
- Canthopexy, pretarsal orbicularis, 641
- Capsular contracture, breast implant and, 470–471
 in breast augmentation, 587–588, 590, 600–602
- Capsulotomy, closed, breast implants and, 464
- Carbon dioxide laser. See *CO₂ laser*.
- Cartilage, research on, 725
 scaffold-based constructs and, 725
- Cartilage grafts, for nasal reconstruction, 313–314
- Cerebrospinal fluid leak, as complication of cranial base resections, 385–386
- Cervicofacial flap, for cheek reconstruction, history of design of, 283, 284
- Cheek, and nose, total reconstruction of, flap prelamination of free flap of forearm in, 268–271
 platysma flap for, 414–417
- reconstruction of, background and history of, 283–285
- cervicofacial flap design for, history of, 283, 284
- clear pathologic margins for, 287–288, 291
- dissection for, level and extent of, 287, 288–291

- Cheek (*Continued*)

 facial anatomy and flap blood supply for, 285–286

 flap for, internal structure of, 288–289

 indications for, 286–287, 288, 289, 290

 perioperative considerations and postoperative sequelae of, 291–295

 placement of incisions for, 288, 289, 292, 293

 prevention of ectropion in, 299–301

 staging of, 287–288

 technique of, 287–291

 with laterally based flaps, 283–296

 through-and-through defects of, reconstruction of mouth after cancer resection, 341–343, 344
- Cheeklift, subperiosteal, 626
- Chemical peeling, complications of, 231–234

 procedural, side effects of, 231–232
- Chemical peels, complications related to, 169–172

 for nonsurgical facial rejuvenation, 158

 in photoaging, 243
- postoperative skin care following, 204
- Chemosurgery, dermabrasion following, 220

 dermabrasion in, 220
- Cleft lip, and cleft palate, research on, 719–721

 in vitro models in, 721

 lagomorph models for, 720

 murine models for, 720

 ovine and caprine models for, 720–721

 treatment of, advances in, 732, 734
- anomalies associated with, 662

 etiopathogenesis of, 661–662

 genetic influence on, 661–662

 in utero repair of, 662–663

 management of, new directions in, 661–669

 prenatal diagnosis of, 662

 smoking during pregnancy and, 661

 teratogens implicated in, 662

 unilateral, repair of, 663–664
- Cleft lip/nasal deformity, bilateral, alveolar molding plate for repair of, 666–667

 forked flap technique in, 665

 protocol for repair of, 668

 simultaneous repair of, 668

 skin expansion for, 665

 staging of nasal correction in, 666, 668

 synchronous repair of, 666, 667

 by columella lengthening and lip repair in, 666
- physiologic repair of, 664

 unilateral, repair of, early initiation of, 663

 primary, 664

 protocol for, 665

 timing of, 664–665
- Cleft palate, cleft lip and. See *Cleft lip, and cleft palate*.
- CO₂ laser, for cutaneous resurfacing, 38–44

 clinical and histologic benefits of, 39–40

 contraindications to, 44

 patient education for, 44

 side effects of, 40–44

 for nonsurgical facial rejuvenation, 158–159
- Cohesive gel implants. See *Anatomic breast implants, cohesive gel*.
- Collagen, bovine. See also *Zyderm collagen implants; Zyplast collagen implants*.

 background and development of, 53–55

 ectopic implantation of, 166–167

 for lip augmentation, 60–61

 granulomatous reactions to, 164–165

 herpes simplex and, 166

 hypersensitivity reactions to, 163–164

 sterile abscesses caused by, 165

 therapy using, adverse responses to, 57
- implantation techniques for, 58–59

 indications for, 56

 maintenance of correction following, 59–60

 skin testing for, 57

 tissue necrosis due to, 165

 in rhytides, 10
- Collagen matrix, injectable human tissue, current therapy using, 68–69

 Dermalog as, 69–80

 Dermaplant as, 69–80

 facial augmentation with, 63–81

 historical perspective and evolution of, 66–68
- Collagen replacement therapy, for facial augmentation, 64–65, 66
- Collagen substitutes, 53–62
- Congenital deformities, plastic surgery in, 731
- Congenital nevi, management of, 740–743
- Cosmeceuticals, 745
- Cosmetologist, training of, 181
- Costochondral autograft, 725
- Cranial fossa, anterior, anatomy of, 376

 middle, anatomy of, 376

 posterior, anatomy of, 376
- Cranial vault, middle, reconstruction of, resorbable fixation for, 656, 658
- Craniofacial anomalies, advances in management of, 732–735, 736, 737
- Craniofacial research, 719
- Craniofacial surgery, use of bioresorbable material in, 653–659
- Craniomaxillofacial skeleton, fixation in, history of, 653–659

 surgery of, metallic plating systems in, 653

 wire fixation in, 653
- Craniosynostosis research, 721–723

 in vitro models in, 722–723

 lagomorph models for, 722

 murine models for, 722

 ovine models for, 722
- Deep circumflex iliac artery flap, aesthetically successful, for single plate mandibular reconstruction, 273–282
- Deflation, as delayed complication of breast augmentation, 588
- Dental aesthetics, and nonsurgical facial rejuvenation, 155
- Dental implants, placement of, for osseointegration teeth, 405
- Dental oncology, in cancer of head and neck, 258–259
- Dental prosthesis, implantation of osseointegration teeth and, 405–406
- Dermabrasion, 204–205, 215–234

 adjunctive procedures with, 227–229

 anesthesia for, 223–224

 benefits of, 215–217

 chemosurgery or laser versus, 229

 contraindications to, 217–221

 in photoaging, 243

 indications for, 215, 216, 217, 218

 instrumentation for, 222

 office and staffing considerations for, 222–223

 patient education and informed consent for, 221

 physician qualifications and technical skills for, 221

 postoperative care following, 225

 postoperative sequelae or complications following, 226–227

 preoperative considerations for, 221–222

psychiatric evaluation for, 221
repeat, 229–230
special considerations for, 219–221
surgical methods for, 224–225
wound care following, 205

Dermalogen, 69–80
appearance of, 69
complications of, 79–80
technique for use of, 70–76

Dermaplast, appearance of, 69, 70
complications of, 79–80
histologic evaluation of, 69, 71
technique for use of, 76–79

Distraction osteogenesis, bone engineering and, 724–725

Ectropion, Alloderm acellular dermal grafts in, 97–98
as complication of laser resurfacing, 174
following biopsy of cheek carcinoma, in reconstruction of facial defects, 297, 299
prevention of, in cheek and lower eyelid reconstruction, 299–301
in reconstruction of facial defects, 297–302

Electrodesiccation, following dermabrasion, 229

Electrosurgery, for ablative cutaneous resurfacing, 47–49

Encephalocele, repair of, resorbable fixation for, 656, 658

Epithelial autografts, cultured, for children, 732, 733

Erbium:yttrium-aluminum garnet laser. See *Er:YAG laser*.

Er:YAG laser, and CO₂ laser, compared, 44, 45, 46
long-pulsed, for cutaneous resurfacing, 46
short-pulsed, for cutaneous resurfacing, 44–46
advantages of, 45–46
assessment of wound depth in, 45
conditions amenable for, 45

Esophageal voice, 391

Esophagus, cervical. See also *Hypopharynx, and cervical esophagus*.
and voice, reconstruction of, pitfalls in, 399–400
jejunum transfer for, stricture following, 399–400
reconstruction of, microvascular free flaps for, 675–676

Extremities, reconstruction in, microvascular free flaps for, 677, 678, 679, 680, 681

Eyebrow(s), habitual animation of, botulinum A toxin injection in, 135, 137
improvement of contours or position of, botulinum A toxin injection in, 138, 142, 143

Eyelid(s), lower, and midface rejuvenation, complications of, 639
evolution of support of lower lid following, 639–652
inferiorly based cervical facial flap for, 300–301
reconstruction of, prevention of ectropion in, 299–301
retraction of, following rhytidectomy and blepharoplasty, 634, 637
support of, following lower lid/midface rejuvenation, complications of, 649–652
evolution of, 639–652
experience with, 641–649, 650–651

reconstruction of, basic principles of, 299
surgical zones of, 297–299
transblepharoplasty of, and midface rejuvenation, 639

Eyelid spacer, Dermaplast as, 78

Eye(s), aging, normal, 631
hollow, following facelift, 631, 634, 635, 636

Face, aging, 626, 629
anatomy of, and flap blood supply for cheek reconstruction, 285–286
and skin, aging, common signs and treatment of, 1–12
augmentation of, alloplastic agents for, 65–66
collagen replacement therapy for, 64–65, 66
with allogenic human tissue collagen matrix, 63–81
contour of, microvascular free flaps for aesthetic reconstruction of, 361–366
discussion of, 361–366
surgical technique for, 361–362

contouring of, using external ultrasound, cases illustrating, 705–712, 713–716
drawbacks to, 703
evaluation of patients following, 704–705
external liposuction-assist fat for, 703–704
new perspectives in, 703–718
patient complaints concerning, 703

defects of, reconstruction of, in ectropion following biopsy of cheek carcinoma, 297, 299
prevention of ectropion in, 297–302

deformities of, following conventional facelift techniques, 626–631

lateral arm flap for reconstruction of. See *Arm flap, lateral*.

muscular anatomy of, 130

paralysis of, congenital, advances in management of, 735–738

reanimation of, microvascular free flaps in, 677

reconstruction of, submental flap as pedicled or free flap for, 303–309

rejuvenation of, ideal, 623–625

nonoperative, 149–161
acne treatment in, 154
acneic conditions and, 186
and harmonious facial enhancement, 150
architectural topographic plan for, 149
as three-part process, 185
assessment of skin type for, 188–189
bruising during, prevention and management of, 157–158

CO₂ laser for, 158–159

commitment to skin health following, 206

complications of, 163–176

correction and concealment following, 205–206

dental aesthetics and, 155

diagnosis of skin disorders for, 151

documentation of skin analysis for, 189, 190

elasticity and vascularity of skin and, 189

ethnic skin conditions and, 186

evaluation of pigmentation irregularities for, 187–188

expectations and goals of, 186

external ultrasound treatment for, 160–161

facial hair growth and, 186–187

Fitzpatrick skin classification for, 150–151

hair style/color and, 161

health assessment and skin analysis for, 185–186

hormone replacement therapy in, 154

identification of lesions for, 187

learning of, 150

magnification for, 151

management of irritated skin in, 153

menopausal considerations and, 187

microdermabrasion for, 158

minimizing sequelae of, 194–196

nerve blocks in, 155–156

optimizing of skin health for, 198–201

patient portrait for, 149–150

peels for, 158

Face (*Continued*)

- physician-patient relationship for, 197–198
- promotion of healing and treatment course of, 196–197
- review of medical history for, 187
- skin care program for, 151
- tattooing in, 159–160
- techniques for, 1–248
- topical pretreatment medications in, 193–194
- treatment of scars in, 154–155
- vitamin supplementation in, 153–154
- wound care in, 201–205
- wrinkle-filters for, 156–157
- skin care and ancillary personnel for, 177–211
- shotgun and rifle injuries to. See *Gunshot injuries, facial*.
- skin of, laser resurfacing of, overview of, 37–52
- Face peels, modified, phenol for, 13–36
- Facelift(s), composite, 622, 624
 - dissection for, mesentaries created during, 625
 - rejuvenated face after, 626, 627, 628
 - to correct malar crescent deformity, 630–631
 - zygomatic midface approach for, 625, 626
- history of, 621
- hollow eyes following, 631, 634, 635, 636
- lateral sweep as deformity following, 629, 631–633
- managed care and, 621
- pharmacologic, 156–157
- pulled mouth as deformity following, 633–634
- subperiosteal, 626
- surgery for, correctable problems following, 631–634
 - correcting unfavorable outcomes of, 621–638
- traditional (conventional), 622, 626–630
 - facial deformities following, 626–631
 - malar crescent following, 630, 633
- Fascia, preserved particulate, for soft tissue augmentation, advantages of, 108–109
 - adverse reaction to, 103
 - applications of, 108–109
 - background of, 101–102
 - graft longevity with, 107
 - histology of, 103–105, 106
 - patient selection and counseling for, 102
 - recollagenation and, 108
 - results and recovery from, 103, 105
 - success of, factors influencing, 107–108
 - technical protocol for, 102–103, 104
 - small grafts of, intradermal grafting with, 105–107
- Fat, autologous, in rhytidectomy, 10–11
 - injectable, history of, 111–112
- Fat grafts, structural, 111–119
 - as ideal soft-tissue substitute, 115–119
 - complications of, 115
 - harvesting technique for, 112
 - indications for, 115, 116, 117, 118
 - placement of, 113
 - postoperative care following, 113
 - preparation for, 112
 - rationale for, 113–115
 - technique of, 112–113
 - transfer and purification technique for, 113
- Favre Racouchot syndrome, 7, 8
- Fibula, osteoseptocutaneous flap of, harvesting of, 404, 405
 - vascularized osteoseptocutaneous flap of, primary osseointegration of teeth in, 404–409
- Fibulaosteoseptocutaneous free flap, and osteointegrated dental implants, mandibular reconstruction with, 403–410
- Fibular flap, aesthetically successful, for single plate mandibular reconstruction, 273–282

Filler materials, for breast implants, 435–443

- Fistula formation, following reconstruction of hypopharynx and cervical esophagus, 358
- Fitzpatrick skin classification, for nonsurgical facial rejuvenation, 150–151
- Flap(s). See also specific sites and types of flaps.
 - blood supply of, and facial anatomy, for cheek reconstruction, 285–286
 - prefabricated and prelaminated, for reconstruction in cancer of head and neck, 261–272
- Flap prefabrication, at distance, case report of, 263, 264–265
 - definition of, 261
 - near recipient site, case report of, 263, 266–267
 - stages of, 262–263
- Flap prelamination, definition of, 261
 - history of, 263
 - of free flap of forearm, for total nasal and cheek reconstruction, 268–271
 - of upper lip in submental area, case report of, 267–269
 - stages of, 266–267
- 5-Fluorouracil, in photoaging, 241
- Food, Drug, and Cosmetic Act, 1976 Medical Device Amendment, 453
- Forearm flap, for esophageal reconstruction, followed by tracheoesophageal puncture, 394
- Forehead, unoperated, following facelift, 633
- Forehead flaps, for replacement of nasal lining, 313
 - prefabricated, for replacement of nasal lining, 312
- Free flap(s), microvascular. See *Microvascular free flaps*.
- submental flap as, for facial reconstruction, 303–309
- N6-Furfuryladenine, in skin care, 747

Gastric pull-up procedure, followed by tracheoesophageal puncture, 394

- for reconstruction of hypopharynx and cervical esophagus, 351
- Gels, for breast implant surgery, 701
- Gingivoperiosteoplasty, in cleft lip/nasal repair, 663
- Graftskin skin substitutes, 726
- Gunshot injuries, facial, close-range, 323–337
 - acute surgical management of, 325–327
 - strategy for, 325
 - ballistics influencing, 323–324
 - case reports of, 329–336
 - emergency management of, 324–325
 - in lower face, 325–327, 332–333, 334–335
 - in upper face and midface, 325, 326–327, 328
 - patterns of, 324
 - reconstruction following, 323
 - secondary management of, 327–329, 334–335

Hair transplantation, side effects of, 174–175

Hand, pediatric, surgery of, 738–739

Head and neck, cancer of, allied health professions in, 259

- dental oncology in, 258–259
- diagnostic and interventional radiology in, 258
- medical oncology in, 257–258
- medical specialties in, 258
- multidisciplinary care in, 253–260
 - and reconstructive surgery, 254–255
 - rationale for, 253–254
- multidisciplinary team in, 256–259
- pathology service in, 258

- radiation oncology in, 257
 reconstruction in, prefabricated and prelaminated flaps for, 261–272
 reconstructive surgery in, knowledge for, 255
 surgical oncology in, 257
 reconstruction of, 251–419
- Hemangiomas, cherry, 9
 in children, treatment of, 739
- Hematoma, in breast augmentation, 602–603
- Herpes simplex, reactivation of, by facial rejuvenation procedures, 166, 171
- HIV, dermabrasion in, 220
- Hormone replacement therapy, in nonsurgical facial rejuvenation, 154
- Hormones, in photoaging, 241
- Hyaluronic acid, for soft-tissue augmentation, 121–126
 advantages of, 121
 preclinical studies with, 122–123
- Hyaluronic acid derivative, in rhytides, 10
- Hydrogel, for breast implant, 437
- Hydroquinone, in solar lentigines, 2
- Hydroxyapatite, use in craniofacial anomalies, 735, 737
Hylaform. See *Hylan B gel*.
- Hylan B gel*, evaluation of, as soft-tissue material in humans, 124–125
 for soft-tissue augmentation, 121–122
 preclinical dermal implant studies with, 123–124
- Hyperpigmentation, in poikiloderma of Civatte, 4, 5
 in solar lentigines, 2–4
 postlaser, 173
- Hypertrophic scars, in children, management of, 739–740
- Hypomastia, breast implants in, 554, 555
- Hypopharynx, and cervical esophagus, anatomy of, 350
 reconstruction of, 349–360
 complications of, 355–358
 donor site selection for, 352, 353, 354, 356
 fistula formation following, 358
 gastric pull-up procedure for, 351
 ideal, 349–350
 jejunal free flap for, 351–353
 microsurgical technique and flap monitoring for, 353–355, 358
 patient evaluation for, 350
 pectoralis major flap for, 351
 postoperative management following, 355, 358
 radial forearm free flap for, 351, 353
 results of, 358, 359
 speech rehabilitation following, 350
 stricture formation following, 358
 techniques for, 350–353
 vascular thrombosis following, 355–358
 removal of, mortality associated with, 349, 389
 defect(s) of, appearance of, 349
 classification of, 350
- Hypospadias, pediatric, management of, 739
- Infections, following chemical peels, 232
- Informed consent, and patient education, for dermabrasion, 221
 plastic surgical skin care specialists and, 207
- Inframammary extended circumflex scapular flap, 362
- Injectables, to alter facial contours, history of, 111
Isotretinoin, dermabrasion and, 219
- Jejunal free flap, for reconstruction of hypopharynx and cervical esophagus, 351–353
- Jejunum, transfer to esophagus, stricture following, 399–400
- Jejunum flap, for esophageal reconstruction, followed by tracheoesophageal puncture, 394
- Keloids, in children, management of, 739–740
Kinetin, in skin care, 747
- LactoSorb, for craniofacial surgery, 655–656
- Laryngectomy, conservational, aspiration in, 400
 reconstruction of voice after, 389–402
- Laryngopharyngectomy, speech following, 389
 evaluation of, 389–390
 swallowing following, 389
 total, voice prosthesis after, 394–395
- Laryngotracheal transplantation, allograft, in congenital tracheal stenosis, 398–399
- Larynx, artificial, 391
- Laser blepharoplasty, 623
- Laser resurfacing, cutaneous, adverse reactions to, 172–174
 overview of, 37–52
 dry skin following, care of, 204
 follow-up visits after, 202
 in photoaging, 243–244, 245
 topical occlusive products following, 202
 wound and skin care following, 202–204
- Laser therapy, in solar lentigines, 4
- Lentigines, solar, hyperpigmentation in, 2–4
- Lip(s), augmentation of, Alloderm acellular dermal graft for, 87–92
 botulinum A toxin injection in, 136, 138
 bovine collagen for, 60–61
 injectable human tissue collagen matrix for, 70–76, 77
 structural fat grafts for, 117
- platysma flap for, 417, 418
- upper, submental area of, flap prelamination of, case report of, 267–269
- Liquid nitrogen, in solar lentigines, 3
- Litigation, prevention of, in breast augmentation, 607–615
- Magnetic resonance imaging, noninvasive, in breast implant surgery, 693–699
- Magnification, development of, 671–672
- Malar crescent, composite facelift to correct, 630–631
 following traditional facelift, 630, 633
- Malpractice insurance, for plastic surgical skin care specialists, 206–207
- Mammoplasty, augmentation, 425–426
- Mammary prosthesis, polyurethane-covered, 579–586
- Mammography, breast implants and, 464
- Mandibular reconstruction, aesthetic success of, 276–278
 DCIA and fibular flaps for, aesthetically successful, with single plate, 273–282
 goals of, 273, 274
 in massive defects, 281
 microvascular anastomoses for, 280–281
 microvascular free flaps for, 674–675
 postoperative radiation therapy following, 281
 surgical technique for, 278–280
 vascularized bone for, advantages of, 273–275
 indications for, 275, 276

- Mandibular reconstruction (*Continued*)
 with fibulaosteoseptocutaneous free flap and osteointegrated dental implants, 403–410
 Mandibulectomy. See *Mandibular reconstruction*.
 Marine gel, for breast implant, 437
 Mastopexy, breast augmentation or, 515
 Maxillary deficiency, anteroposterior, in cleft lip and palate, 663
 McConnel's method, 391
 MD Anderson Cancer Center, University of Texas, plastic surgery at, 255–256
 Medical oncology, in cancer of head and neck, 257–258
 Metallic plating systems, advantages of, 654
 disadvantages of, 654
 in craniomaxillofacial surgery, 653
 Microdermabrasion, adverse reactions to, 172
 clinical experience with, 748
 development of, 747
 exposure to aluminum oxide crystals in, 748
 for nonsurgical facial rejuvenation, 158
 in photoaging, 244, 747
 in solar lentigines, 4
 machines for, 747
 popularity of, 748–749
 Microsurgery, pediatric, 740, 741
 reconstructive, 671–686
 benefits of, 672–673
 cutaneous flaps for, 673
 for replantation, 673
 history of, 671
 improvements in, 673–674
 landmark cases in, 673
 magnification for, 671
 microvascular surgical instruments for, 672
 muscle-free flaps for, 673
 osseous-free flaps for, 673
 visceral transplants for, 673
 Microvascular anastomoses, for mandibular reconstruction, 280–281
 Microvascular free flaps, for aesthetic reconstruction of face, 361–366
 discussion of, 361–366
 surgical technique for, 361–362
 for breast reconstruction, 676
 for mandibular reconstruction, 674–675
 for reconstruction in extremities, 677, 678, 679, 680, 681
 for reconstruction of esophagus, 675–676
 for reconstruction of oral cavity, 675
 for reconstruction of trunk/torso area, 673–677
 for reconstructive surgery, 674
 in facial reanimation, 677
 Midface, aging in, 641
 correction of, 640–641
 rejuvenation of, and lower lid rejuvenation, evolution of support of lower lid following, 639–652
 eyelid transblepharoplasty and, 639
 subperiosteal dissection of, endoscopic assisted, without preseptal lower lid dissection, 639, 640
 Mouth, floor of, platysma flap for, 414
 functional anatomy of, 339
 intraoral contracture from previous surgery of, reconstruction after, 343–345
 intraoral lining defect of, reconstruction after cancer resection, 340–341, 342
 pulled, as deformity following facelift, 633–634
 reconstruction of, aims of, 340
 history of, 339–340
 platysmal flap for, 411–419
 through-and-through cheek defects of, reconstruction after cancer resection, 341–343, 344
 Nasoencephalocele, hydroxyapatite reconstruction in, 735, 737
 Nasolabial sulci, Alloderm acellular dermal graft for augmentation of, 92, 93
 National Comprehensive Cancer Network, member institutions of, 253, 254
 Neck. See also *Head and neck*.
 dissection of, preplatysmal, 625
 Neodymium:yttrium-aluminum garnet laser, for spatially selective photocoagulation, 46–47
 Neoglottis, 392, 393
 Nerve blocks, in nonsurgical facial rejuvenation, 155–156
 Nevi, congenital, management of, 740–743
 Nijdam voice prosthesis, tracheoesophageal puncture with, 393
 Nose, and cheek, total reconstruction of, flap prelamination of free flap of forearm in, 268–271
 deformity of, with cleft lip. See *Cleft/lip/nasal deformity*
 lining of, necrosis of, destructive processes causing, 312
 replacement of, forehead flap for, 313
 prefabricated, 312
 full-thickness skin grafts for, 312
 technique of, 314–324
 history of, 311–312
 intranasal lining flaps for, 312–313
 skin grafts for, 313–314
 skin grafts for, 311–324
 reconstruction of, cartilage grafts in, 313–314
 modern concepts in, 313–314
 Nutrition, and health of skin, 201
- Oculoplasty procedures, Alloderm acellular dermal graft in, 96–97
 Oral cavity, reconstruction of, microvascular free flaps for, 675
 Oral prosthesis, in reconstruction of skull base, 382, 383
 Oral reconstruction, platysmal flap for, 411–419
 Orbicularis hypertrophy, botulinum A toxin injection in, 136–138
 Orthopedics, presurgical, gingivoperiosteoplasty, and lip adhesion, in cleft lip/nasal repair, 663
 Osteogenesis, distraction, bone engineering and, 724–725
 Osteointegrated dental implants,
 fibulaosteoseptocutaneous free flap and, mandibular reconstruction with, 403–410
 Osteoseptocutaneous flap, fibular, harvesting of, 404, 405
- Palatal/pharyngeal defect, microsurgical free flap reconstruction in, 740, 741
 Panje button, and tracheoesophageal puncture, 394
 Pathology service, in cancer of head and neck, 258
 Pectoralis major flap, for reconstruction of hypopharynx and cervical esophagus, 351
 Pediatric plastic surgery, revisited, 731–744
 Pedicled flap, submental flap as, for facial reconstruction, 303–309
 Peels, chemical. See *Chemical peels*.
 Pericranial flap, 380
 Periocular structures, surgical zones of, 297–299
 Pharyngocutaneous fistula, lateral, 391
 Phenol, systemic complications of, 234
 Phenol face peels, concentration for, 13–14
 current techniques in, 33–35

- complications of, 35
 patient selection for, 33
 pretreatment for, 33
 procedural considerations for, 34–35
 for nonsurgical facial rejuvenation, 158
 human biopsy studies in, 14–15
 modified, 13–36
 three new cases illustrating, 15–32
- Photoaging, extrinsic, intrinsic aging versus, 236–237
 microdermabrasion in, 747
 new and emerging treatments for, 235–248
 prevention of, 237–238
 surgical treatments in, 241–245
 topical treatments in, 238–241
 treatment of, reasons for, 235
 types of, 235
- Pigmentation, dark, dermabrasion in, 220
 mottled, 8
- Plagiocephaly, unilateral, resorbable plates and screws for reconstruction in, 735, 736
- Plastic surgeons, aesthetic claims made against, 613
- Plastic surgery, at MD Anderson Cancer Center, University of Texas, 255–256
 new directions in, 621–750
 pediatric, revisited, 731–744
- Plastic surgery research, new directions in, 719–730
- Plastic surgical skin care specialists. See *Skin care specialist(s), plastic surgical*.
- Plates and screws, biodegradable nonmetallic, in craniofacial anomalies, 735, 736
- Plating systems, metallic, advantages of, 654
 disadvantages of, 654
 in craniomaxillofacial surgery, 653
- Platysma, anatomy of, 411–413
 innervation of, 411–412
 muscle distribution in, 411, 412
 vascularization of, 411, 412
- Platysma flap, for alveolar ridge, 414, 416
 for cheek and retromolar trigone, 414–417
 for floor of mouth, 414
 for lip, 417, 418
 for oral reconstruction, 411–419
 discussion of, 417–418
 history and clinical applications of, 413–414
 indications for, and clinical cases of, 414–417
 planning for, 414
- Platysmal bands, botulinum A toxin injection of, 142–146
- Poikiloderma of Civatte, hyperpigmentation in, 4, 5
- Poly-l-lactic acid, with poly-D,L-lactide, for fixation implants, 656–658
- Polyglycolic acid polymer system, for craniofacial surgery, 655–656
- Polymeric scaffolds, biocompatible, bone engineering and, 723–724
- Polytetrafluoroethylene, in rhytides, 10
- Polyurethane-covered mammary prosthesis, 579–586
 biodegradation of, 580
 carcinogenicity of, 580–581
 case discussions of, 582–585
 valve of, 581–582
- Polyurethane-covered silicone gel-filled implants, 435, 452–453
- Polyvinylpyrrolidine, for breast implant, 437
- Port wine stains, in children, treatment of, 739
- Provost prosthesis, tracheoesophageal puncture with, 393
- Punch excision, following dermabrasion, 227–229
- Purpura, senile, 9
- PVP fluid fillers, aqueous, in breast implant surgery, 700–701
- Radial forearm free flap, for reconstruction of hypopharynx and cervical esophagus, 351, 353
- Radiation, problems induced by, in reconstruction of cervical esophagus and voice, 400
- Radiation oncology, in cancer of head and neck, 257
- Radiation therapy, postoperative, following mandibular reconstruction, 281
- Radiodermatitis, dermabrasion in, 220
- Radiology, interventional, in cancer of head and neck, 258
- Refrigerants, skin, for dermabrasion, 223–224
- Resorbable fixation implants, 657
 clinical applications of, 656, 658
 clinically valuable criteria for, 654–655
 concepts of, 655
 in pediatric cranial reconstruction, 735, 736
 pure poly-L-lactic acid for, 655, 656
 pure polyglycolic acid for, 655
- Retinaculum, lateral, 297–299
- Retinoids, 745
- Retromolar trigone, platysma flap for, 414–417
- Rhinoplasty, Alloderm acellular dermal graft in, 93–96
- Rhytidectomy, composite, 622–623, 624, 625
- Rhytides, CO₂ laser resurfacing in, 40, 41
 dermabrasion in, 217–218
 treatment of, 9–11
 types of, 53
- Rifle injuries. See *Gunshot injuries*.
- Rippling and wrinkling, as delayed complication of breast augmentation, 588
- Saline-filled breast implants, 435, 437, 438, 454, 531
 capsular contracture with, 470–471
 complications of, rates of, 699
 deflation of, 457–458
 failure of, incidence of, 476–477
 full height anatomic, 567–577
 future directions in, 700
 history of, 699
 issues associated with, 445–450
 round smooth, 523–529
 textured, history of, 523–525
- Scaffold-based constructs, cartilage and, 725
- Scaffolds, biocompatible polymeric, bone engineering and, 723–724
- Scalp, as donor site for reconstruction of defects of skull base, 378–381
 large defects of, reconstruction of, tissue expansion techniques for, 742
- Scarabrasion, with dermabrasion, 228, 229
- Scars, hypertrophic, in children, management of, 739–740
 revision of, Alloderm acellular dermal graft for, 96–97
 treatment of, in nonsurgical facial rejuvenation, 154–155
- Sebaceous hyperplasias, 9
- Seborrheic keratoses, 8–9
- Shotgun injuries. See *Gunshot injuries*.
- Silicone, implantation of, adverse reactions to, 167
- Silicone gel-filled breast implants, 435, 437–438, 687–688, 689–690
 capsular contracture with, 470–471
 clinical observations on, 691–693, 694, 695, 696, 697, 698
 controversy concerning, 453–454, 531
 duration of, 692
 failure of, incidence of, 476–477
 future directions in, 700

- Silicone gel-filled breast implants (*Continued*)
 history of, 525
 polyurethane-covered, 435, 452–453
 rupture of, 455–456
 ruptured, 692, 693, 694, 695
 shell failure of, 690–691
- Skin, and face, aging, common signs and treatment of, 1–12
 facial, laser resurfacing of, overview of, 37–52
 health of, nutrition and, 201
 intrinsic aging of, 7–11
 laser resurfacing of, adverse reactions to, 172–174
 major components of, 83
 photoaged, 2
 upper arm, anatomy of, 367–368
- Skin care, and ancillary personnel, in facial rejuvenation, 177–211
 history and background of, 177–178
 home, cleansers for, 189
 exfoliants in, 189–191
 moisturizers and hydration for, 191
 sun protection in, 191–192
 toners for, 189
 new directions in, 745–750
 treatment options to optimize outcomes of, 178–179
- Skin care specialist(s), plastic surgical, 178–181
 administration of skin care services by, 181–182
 and titles to describe employees of, 181
 certification for employees of, 181
 continuing education for, 209
 documentation by, 208
 enhancement of aesthetic surgical outcomes by, 182
 equipment of, 208–209
 evaluation of skin care lines by, 183–185
 informed consent and, 207
 investment in inventory by, 184–185
 knowledge of cosmetic industry, 183
 malpractice coverage for, 206–207
 patient management by, 182–183
 perpetuation of longevity of results of, 183
 personnel decisions for, 180–181
 practical roles of, 181–183
 prescription medications and, 207–208
 pretreatment goals of, 185–201
 relationship building by, 197–198
 risk management for, 206–209
 standards of care and, 208
 supervision of nurses by, 208
 team building by, 184
- Skin disorders, diagnosis of, for nonsurgical facial rejuvenation, 151
- Skin expansion, for bilateral cleft lip/nasal deformity, 665
- Skin grafts, for nasal lining, 311–324
- Skin resurfacing, in photoaging, 241–243
- Skin substitutes, advancements in development of, 726
 alloderm, 726
 graftskin, 726
- Skull base, defects of, coverage of, 375–387
 history of, 375
 reconstruction of, complications and outcomes of, 385–386
 external prosthesis with, 378, 379
 scalp as donor site for, 378–381
 reconstructive goals in, 377–378, 379
- region I, reconstruction of, 381–383, 384
- region II, reconstruction of, 383–385
- region III, reconstruction of, 385
- surgical anatomy of, 376–377
- tumors of, classification according to region, 376, 377
- Smoking, during pregnancy, cleft lip and, 661
- Soft tissue, augmentation of, 101–110
 conceptual issues in, 105–109
 hyaluronic acid for. See *Hyaluronic acid*.
 preserved particulate fascia for. See *Fascia, preserved particulate*.
 lack of, for breast augmentation, correction of, 589
- Solar lentigines, hyperpigmentation in, 2–4
- Soybean oil, fillers, in breast implant surgery, 700
- Speech, following laryngopharyngectomy, 389
 evaluation of, 389–390
- Speech rehabilitation, following reconstruction of hypopharynx and cervical esophagus, 350
- Stainless steel, for plates and screws, disadvantages of, 654
- Stricture formation, following jejunum transfer for esophagus, 399–400
 following reconstruction of hypopharynx and cervical esophagus, 358
- Subgaleal fossa, 380
- Submental flap, advantages of, 307, 308
 arterial blood supply for, 303–304
 as pedicled or free flap, for facial reconstruction, 303–309
 disadvantages of, 307–308
 drawing of, 304–305
 harvesting technique for, 305
 results of use of, 305–306
 case report of, 306–307
 surgical technique for use of, 304–305
 venous drainage of, 304
- Submucous fibrosis, oral, 339
 reconstruction of, 345
- Suborbital region, Alloderm acellular dermal grafts in, 98
- Sun exposure, skin changes caused by, 1–7
- Sunscreens, to prevent photoaging, 237–238
- Superficial temporal fascia, 381
- Surgical oncology, in cancer of head and neck, 257
- Swallowing, following laryngopharyngectomy, 389
- Synmastia, following breast augmentation, correction of, 589
- Syringoma, 9
- Tattooing, in nonsurgical facial rejuvenation, 158
- Tattoos, removal of, by dermabrasion, 219
- Telangiectasias, treatment of, 6–7
- Temporalis muscle for repair of skull base, 381
- Temporoparietal fascia, 381
- Thrombosis, vascular, following reconstruction of hypopharynx and cervical esophagus, 355–358
- Tissue engineering, in pediatric patients, 743
 research in, 723
- Tissue expansion, for reconstruction of large defects of scalp, 742
- Titanium, for plates and screws, advantages of, 654
- Tooth (Teeth), osseointegration, bone contouring and fixation for, 404–405
 implantation of, 405
 and dental prosthesis, 405–406
 placement of dental implants for, 405
 primary, in vascularized fibula osteoseptocutaneous flap, cases illustrating, 406–409
 discussion of, 406–409
 surgical procedure for, 404–406
 timing and patient selection for, 404
- Trachea, congenital stenosis of, allograft laryngotracheal transplantation in, 398–399

- reconstruction of, for restoration of voice with autogenous tissue, 398
- Tracheoesophageal puncture, forearm flap for esophageal reconstruction followed by, 394
- gastric pull-up followed by, 394
- jejunum flap for esophageal reconstruction followed by, 394
- Panje button and, 394
- with Blom-Singer prosthesis, 393
- with Nijdam voice prosthesis, 393
- with Provox prosthesis, 393
- with voice prosthesis, 392–395
- Transblepharoplasty, of eyelids, and midface rejuvenation, 639
- Trauma injuries, in children, plastic surgery in, 731
- Tretinoin, 745–746
- in photoaging, 238–239
 - topical, in solar lentigines, 2–3
- Trichloroacetic acid, in solar lentigines, 4
- Trilucent breast implant, 436–437
- Trunk/torso area, reconstruction of, microvascular free flaps for, 676–677
- Ultrasound, external, for facial contouring. See *Face, contouring of, using external ultrasound*.
for nonsurgical facial rejuvenation, 160–161
- Vascular abnormalities, due to sun exposure, 6–7
- Vascular thrombosis, following reconstruction of hypopharynx and cervical esophagus, 355–358
- Vegetable triglycerides, for breast implants, 436
- Venous lakes, treatment of, 7
- Vitallium, for plates and screws, advantages of, 654
- Vitamin C, in photoaging, 239
- in skin rejuvenation, 746
- Vitamin E, in photoaging, 239–240
- Vitiligo, dermabrasion in, 219
- Voice, cervical esophagus and, reconstruction of, pitfalls in, 399–400
- esophageal, 391
- hand-held internal device to produce, 391
 - implanted intraoral device to produce, 391
 - reconstruction of, after laryngectomy, 389–402
 - classifications of, 390
 - methods of, 390
 - voice tube shunt for, 395–398
 - and rehabilitation of, criteria for future development of, 400–401
- rehabilitation of, leakage interfering with, 399
- restoration of, with autogenous tissue, tracheal reconstruction for, 398
- Voice device, external, 391, 392
- Voice prosthesis, after total laryngopharyngectomy, 394–395
- Voice tube shunt, for voice reconstruction after laryngectomy, 395–398
- Whitnall's tubercle, 299
- Wire fixation, in craniomaxillofacial skeleton, 653
- Wrinkles, facial, anatomy and physiology of, 130–131
- Xerosis, management of, 7–8
- Zyderm collagen implants, 55, 56
- adverse reactions to, 163, 164
 - composition of, 55–56
- Zyplast collagen implants, 55, 56
- composition of, 56